



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---|-------------|----------------------|---------------------|------------------|
| 10/824,363 | 04/15/2004 | Chang Nam Kim | K-0634 | 6306 |
| 34610 | 7590 | 05/08/2006 | EXAMINER | |
| FLESHNER & KIM, LLP P.O. BOX 221200 CHANTILLY, VA 20153 | | | GUHARAY, KARABI | |
| | | | ART UNIT | PAPER NUMBER |
| | | | 2879 | |

DATE MAILED: 05/08/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/824,363

Applicant(s)

KIM, CHANG NAM

Examiner

Karabi Guharay

Art Unit

2879

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-9 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1-5 is/are allowed.
- 6) ☒ Claim(s) 6-9 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 15 April 2004 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date ____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: ____.

Priority

Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Drawings

Figures 7A & 7B should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "expanding the insulating layer a predetermined area, including the crossing point between the counter electrode and the sealant" claimed in claims 4 & 9 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure

Art Unit: 2879

is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: "counter electrode 513" and ITO strip 512, mentioned in paragraph [51] are not shown in Fig 7C. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: "a" & "b" showing in Fig 6 are not described in specification. Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

The disclosure is objected to because of the following informalities:

- (1) On page 3, line 7 of paragraph [8], "ITO strip 12" should be corrected to "ITO strip 102".
- (2) On page 10, in last line of paragraph [51], "counter electrode 512" should be corrected to "counter electrode 513".

Appropriate corrections are required.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 6-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kanno et al. (US 6614177), and further in view of AAPA (applicant's admitted prior art).

Regarding claim 6, Kanno et al. disclose a method of fabricating an organic EL display panel (Fig 1) forming an ITO strip being a transparent electrode (12) so as to apply anode onto a glass substrate (11); forming a counter electrode (bus electrode 13) in a grid form (see Fig 1), so as to have a width smaller than that of the ITO, forming a first insulating layer (20) and barrier rib (30), serially forming an organic EI layer (16) and a cathode strip (scan electrode 17).

However, Kanno et al. is silent about adhering a seal cover to the glass substrate by using a sealant.

However, AAPA, in Fig 1 shows that it is well known and old to use a seal cover (109) attached to the glass substrate by a sealant (108) in order to protect the moisture sensitive organic EI layer.

Thus, it would have been obvious to one having ordinary skill in the art at the time the invention was made to adhering a seal cover to the glass substrate of Kanno et al's organic EL device by a sealant since this will protect the organic EI layer from outside environment.

Regarding claim 7, AAPA discloses forming a first ITO strip (102) includes simultaneously forming a second ITO strip (102A) having a width smaller than that of the first ITO between the barrier rib. AAPA further teaches that such formation of second ITO strip facilitates later process of forming cathode strips (105, see Paragraph [11] of instant specification).

Thus it would have been obvious to one having ordinary skill in the art at the time the invention was made to simultaneously form second strip of ITO in order to facilitate the formation of cathode.

Regarding claim 8, Kanno et al. disclose that the forming counter electrode (13) in grid form includes forming counter electrode in combination of plurality of polygons (see Fig 1).

Regarding claim 9, AAPA teaches expanding the insulating layer a predetermined area, including the cross section point between the counter electrode and the sealant and to the area of the glass substrate so as to be formed on a periphery of the organic EL layer (see Fig 1 of instant application). The same reason for combining as in claim 6 applies.

Allowable Subject Matter

Claims 1-5 are allowed over the prior art of record.

Examiner's Reasons for Allowance

The following is an examiner's statement of reason for allowance:

Regarding claim 1, the prior art of record neither shows nor suggests

Art Unit: 2879

an organic EL layer comprising all the limitations of claim 1, particularly comprising the limitation of counter electrode is formed at a crossing point between the counter electrode and the sealant.

Claims 2-5 are allowed being dependent on allowed base claim 1.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Karabi Guharay whose telephone number is (571) 272-2452. The examiner can normally be reached on Monday-Friday 8:30 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nimeshkumar D. Patel can be reached on (571) 272-2457. The fax phone number for the organization is (571) 273-8300

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Karabi Guharay
Karabi Guharay
Primary Examiner
Art Unit 2879